

Treats for Dogs with Heart Disease

Compiled by Charity Callicoat

Cardiology Department / Medvet - Cincinnati

1) Hills Ideal Balance:

A) Soft Baked Naturals

- with Duck and Pumpkin- 37mg/100kcal
- with Chicken and Carrots- 35mg/100kcal

B) Oven Baked Naturals

- with Lamb and Apricots- 40mg/100kcal
- with Chicken and Apples- 52mg/100kcal
- with Turkey and Cranberries- 33mg/100kcal

C) Breakfast Medleys

- with Grilled Trout and Spinach- 66mg/100kcal
- with Country Chicken and Egg- 41mg/100kcal

D) Crafted

- with Pacific Style Salmon and Sweet Potato- 53mg/100kcal
- with Heartland Rabbit and Potatoes- 39mg/100kcal

E) Regional Delights

- with Heartland Rabbits and Potatoes- 39mg/100kcal
- with Pacific Style Salmon and Sweet Potatoes- 53 mg/100kcal
- with Southern Catfish and Peas- 50mg/100kcal

2) Hills Science Diet:

A) Soft Savories

- with Chicken and Yogurt- 36mg/100kcal
- with Peanut Butter and Banana- 36mg/100kcal
- with Beef-N-Cheddar- 37mg/100kcal

B) Grain Free Treats

- with Turkey and Cranberries- 33mg/100kcal
- with Chicken and Apples- 52mg/100kcal

C) Dental Chews with Real Vegetables

- Small Dog- 42mg/100 kcal
- Medium Dog- 42mg/100kcal

D) Baked Light Biscuits with Real Chicken

- Small-34 mg/100kcal

3) Miscellaneous Heart Friendly Treats:

A) Purina Alpo Variety Snaps Treats

B) Purina Veterinary Diets Lite Snackers

- C) Iams Adult Original Formula Small Biscuits (green box)
- D) Stewart Fiber Formula Dog Biscuits (medium)

4) Acceptable People Foods That Can Be Used to Increase Palatability-
ALL FOODS IN THIS LIST SHOULD BE PREPARED WITHOUT SALT:

- A) Pasta
- B) Rice (plain white or brown rice, not flavored rice)
- C) Honey
 - D) Maple Syrup
- E) Low-Sodium Cheese
- F) Lean Meats, cooked (chicken, turkey, beef, or fish),
Not Sandwich Meats/Cold Cuts
 - G) Cooked Eggs
- H) Homemade soup or broth without salt
 - I) Low-salt breakfast cereal- the label should read
"This is a low-sodium food" such as Frosted Mini
Wheats
- K) Fresh Produce (such as carrots, green beans,
Potatoes, sweet potatoes, apple, orange, banana
(avoid grapes)
- L) Gerber Brand Baby Food in Chicken and Chicken
Gravy or Beef and Beef Gravy Formulas only

5) Tips For Administering Medications:

- a. Insert medications into one of the following foods
 - Fruit - banana, orange, melon (avoid grapes)
 - Low sodium cheese
 - Low sodium canned pet food
 - Peanut Butter (labeled as "no salt added")
 - Home-cooked meat such as chicken or hamburger (without salt); No Lunch Meats
 - Marshmallows
 - Greenies brand Pill Pockets
 - Empty gel capsules (available at most pharmacy counters and health stores, no prescription required)
- b. Have one of our Doctors or technicians teach you how to give medications without using food.

6) Foods To Avoid:

- Fatty Foods (meat trimmings, cream, ice cream)

- *Baby Foods*
- *Pickled Foods*
- *Breads*
- *Pizza*
- *Condiments (ketchup, soy sauce, barbeque sauce, etc)*
- *Sandwich meats/cold cuts (ham, corned beef, salami, sausages, bacon, hot dogs)*
- *Most cheeses, including "squirtable" cheeses (unless specifically labeled as "low sodium")*
- *Processed foods (such as potato mixes, rice mixes, macaroni and cheese)*
- *Canned vegetables (unless "no salt added")*
- *Potato Chips, packaged popcorn, crackers, and other snack foods*
- *All commercial Soups and Broths*
- *Most dog biscuits and treats (especially Snausages, Meaty Bone, Beggin' Strips, Pupperoni, Jerky Treats, Rawhide/Pig Ears)*